

The Global Market for Nanoelectronics

Wearables, Flexible and Stretchable Electronics, Sensor, Displays, Solar Cells, Lighting, Computing and Photonics

Contents

1 RESEARCH METHODOLOGY.....	38
2 EXECUTIVE SUMMARY.....	41
2.1 THE EVOLUTION OF ELECTRONICS.....	42
2.1.1 The wearables revolution.....	43
2.1.2 Flexible, thin, and large-area form factors.....	44
2.1.3 From rigid to flexible and stretchable.....	45
2.1.4 Organic and printed electronics.....	47
2.1.5 New conductive materials.....	48
2.2 MARKET DRIVERS AND TRENDS.....	51
2.2.1 Scaling.....	51
2.2.2 Growth of mobile wireless devices.....	51
2.2.3 Internet of things (IoT).....	51
2.2.4 Data, logic and applications moving to the Cloud.....	52
2.2.5 Ubiquitous electronics.....	52
2.2.5.1 ITO replacement for flexible electronics.....	53
2.2.5.2 Growth in the wearable electronics market.....	55
2.2.5.3 Growth in wearable health monitoring.....	55
2.2.5.4 Growth of HMI and display systems in the automotive industry.....	56
2.2.5.5 Touch technology requirements.....	56
2.2.6 Nanomaterials for new device design and architectures.....	56
2.2.7 Carbon and 2D nanomaterials.....	57
2.2.8 Industrial collaborations.....	58
3 NANOMATERIALS.....	59
3.1 Properties of nanomaterials.....	59

3.2	Categorization.....	60
4	NANOMATERIALS IN ELECTRONICS.....	62
4.1	ALUMINIUM OXIDE NANOPARTICLES.....	64
4.1.1	Properties.....	64
4.1.2	Applications in nanoelectronics.....	64
4.2	ANTIMONY TIN OXIDE NANOPARTICLES.....	65
4.2.1	Properties.....	65
4.2.2	Applications in nanoelectronics.....	65
4.3	MULTI-WALLED CARBON NANOTUBES.....	66
4.3.1	Properties.....	66
4.3.2	Applications in nanoelectronics.....	67
4.4	CONDUCTIVE POLYMERS (CP).....	69
4.4.1	Properties.....	69
4.4.1.1	PDMS.....	69
4.4.1.2	PEDOT: PSS.....	69
4.4.2	Applications in nanoelectronics.....	70
4.5	CERIUM OXIDE NANOPARTICLES.....	71
4.5.1	Properties.....	71
4.5.2	Applications.....	71
4.6	COPPER INK AND NANOPARTICLES.....	72
4.6.1	Silver-coated copper.....	73
4.6.2	Copper (Cu) nanoparticle ink.....	74
4.7	GOLD NANOPARTICLES.....	74
4.7.1	Properties.....	74
4.7.2	Applications.....	75
4.8	FULLERENES.....	75
4.8.1	Properties.....	76
4.8.2	Applications.....	76
4.9	GRAPHENE.....	77
4.9.1	Properties.....	77
4.9.2	Applications in nanoelectronics.....	78

4.10	IRON OXIDE NANOPARTICLES.....	81
4.10.1	Properties.....	81
4.10.2	Applications.....	81
4.11	METAL MESH.....	82
4.11.1	Properties.....	82
4.11.2	Applications in nanoelectronics.....	84
4.12	NANOCELLULOSE.....	85
4.12.1	Properties.....	85
4.12.2	Applications in nanoelectronics.....	87
	4.12.2.1 Nanopaper.....	90
	4.12.2.2 Paper memory.....	92
4.13	NANODIAMONDS.....	93
4.13.1	Properties.....	93
4.13.2	Applications.....	94
4.14	NANOFIBERS.....	95
4.14.1	Properties.....	95
4.14.2	Applications in nanoelectronics.....	96
4.15	NANOWIRES.....	97
4.15.1	Properties.....	97
4.15.2	Applications.....	97
4.16	NICKEL NANOPARTICLES.....	98
4.16.1	Properties.....	98
4.16.2	Applications.....	98
4.17	QUANTUM DOTS.....	99
4.17.1	Properties.....	99
4.17.2	Applications in nanoelectronics.....	101
4.18	SILICON OXIDE NANOPARTICLES.....	104
4.18.1	Properties.....	104
4.18.2	Applications.....	105
4.19	SINGLE-WALLED CARBON NANOTUBES.....	106
4.19.1	Properties.....	106

4.19.2	Applications in nanoelectronics.....	107
4.20	SILVER INK (Flake, nanoparticles, nanowires, ion).....	108
4.20.1	Silver flake.....	108
4.20.2	Silver (Ag) nanoparticle ink.....	108
4.20.2.1	Conductivity.....	109
4.20.3	Silver nanowires.....	109
4.20.4	Prices.....	111
4.20.4.1	Cost for printed area.....	111
4.21	ZIRCONIUM OXIDE NANOPARTICLES.....	112
4.21.1	Properties.....	112
4.21.2	Applications in nanoelectronics.....	112
4.22	GRAPHENE AND CARBON QUANTUM DOTS.....	113
4.22.1	Properties.....	114
4.22.2	Applications in nanoelectronics.....	115
4.23	YTTRIUM OXIDE NANOPARTICLES.....	115
4.23.1	Properties.....	116
4.23.2	Applications in nanoelectronics.....	116
4.24	CARBON ONIONS.....	116
4.24.1	Properties.....	116
4.24.2	Applications in nanoelectronics.....	117
4.25	2D MATERIALS.....	118
4.25.1	Black phosphorus/Phosphorene.....	118
4.25.1.1	Properties.....	118
4.25.1.2	Applications in electronics.....	119
4.25.2	Graphitic carbon nitride (g-C ₃ N ₄).....	120
4.25.2.1	Properties.....	120
4.25.2.2	Applications in electronics.....	121
4.25.3	Germanene.....	121

4.25.3.1	Properties.....	122
4.25.3.2	Applications in electronics.....	122
4.25.4	Graphdiyne.....	122
4.25.4.1	Properties.....	123
4.25.4.2	Applications in electronics.....	123
4.25.5	Graphane.....	123
4.25.5.1	Properties.....	124
4.25.5.2	Applications in electronics.....	124
4.25.6	Hexagonal boron nitride.....	124
4.25.6.1	Properties.....	125
4.25.6.2	Applications in electronics.....	125
4.25.7	Molybdenum disulfide (MoS ₂).....	126
4.25.7.1	Properties.....	126
4.25.7.2	Applications in electronics.....	127
4.25.8	Rhenium disulfide (ReS ₂) and diselenide (ReSe ₂).....	128
4.25.8.1	Properties.....	129
4.25.8.2	Applications in electronics.....	129
4.25.9	Silicene.....	129
4.25.9.1	Properties.....	130
4.25.9.2	Applications in electronics.....	130
4.25.10	Stanene/tinene.....	131
4.25.10.1	Properties.....	132

4.25.10.2	Applications in electronics.....	132
4.25.11	Tungsten diselenide.....	133
4.25.11.1	Properties.....	133
4.25.11.2	Applications in electronics.....	133
4.25.12	Antimonene.....	133
4.25.12.1	Properties.....	134
4.25.12.2	Applications in electronics.....	134
4.25.13	Indium selenide.....	134
4.25.13.1	Properties.....	134
4.25.13.2	Applications in electronics.....	135

5 MARKET ANALYSIS..... 135

5.1	CONDUCTIVE INKS.....	136
5.1.1	MARKET DRIVERS AND TRENDS.....	136
5.1.2	CONDUCTIVE INK TYPES.....	137
5.1.3	PRINTING METHODS.....	138
5.1.3.1	Nanoparticle ink.....	141
5.1.4	Sintering.....	141
5.1.5	Conductive Filaments.....	142
5.1.6	Conductive films, foils and grids.....	142
5.1.7	Inkjet printing In flexible electronics.....	142
5.1.8	APPLICATIONS.....	142
5.1.8.1	Current products.....	143
5.1.8.2	Advanced materials solutions.....	143
5.1.8.3	RFID.....	147
5.1.8.4	Smart labels.....	149
5.1.8.5	Smart clothing.....	149
5.1.8.6	Printable sensors.....	149

5.1.8.7	Printed batteries.....	150
5.1.8.8	Printable antennas.....	151
5.1.8.9	In-mold electronics.....	152
5.1.8.10	Printed transistors.....	153
5.1.9	GLOBAL MARKET SIZE.....	154
5.1.10	COMPANY PROFILES..... (112 COMPANY PROFILES)	156
5.2	WEARABLE NANO-ELECTRONICS, SENSORS AND ELECTRONIC TEXTILES.....	192
5.2.1	MARKET DRIVERS AND TRENDS.....	192
5.2.2	APPLICATIONS.....	194
5.2.2.1	Current state of the art.....	195
5.2.2.2	Advanced materials solutions.....	196
5.2.2.3	Transparent conductive films.....	197
5.2.2.4	Carbon nanotubes (SWNT).....	200
5.2.2.5	Double-walled carbon nanotubes.....	201
5.2.2.6	Graphene.....	201
5.2.2.7	Silver nanowires.....	202
5.2.2.8	Nanocellulose.....	203
5.2.2.9	Copper nanowires.....	205
5.2.2.10	Nanofibers.....	206
5.2.2.11	Wearable sensors.....	206
5.2.2.12	Advanced materials solutions.....	208
5.2.2.13	Wearable gas sensors.....	212
5.2.2.14	Wearable strain sensors.....	212
5.2.2.15	Wearable tactile sensors.....	212
5.2.2.16	Industrial monitoring.....	213
5.2.2.17	Military.....	213
5.2.3	GLOBAL MARKET SIZE.....	214
5.2.3.1	Transparent conductive electrodes.....	215
5.2.4	COMPANY PROFILES..... 216 (65 COMPANY PROFILES)	
5.3	MEDICAL AND HEALTHCARE ELECTRONIC TEXTILES AND WEARABLES.....	238
5.3.1	MARKET DRIVERS AND TRENDS.....	238

5.3.2	APPLICATIONS.....	240
5.3.2.1	Current state of the art.....	240
5.3.2.2	Advanced materials solutions.....	244
5.3.2.3	Printable, flexible and stretchable health monitors.....	245
5.3.3	GLOBAL MARKET SIZE.....	253
5.3.4	COMPANY PROFILES.....	
	255 (41 COMPANY PROFILES)	
5.4	ELECTRONIC TEXTILES AND APPAREL.....	268
5.4.1	MARKET DRIVERS AND TRENDS.....	268
5.4.2	APPLICATIONS.....	269
5.4.2.1	Current state of the art.....	269
5.4.2.2	Advanced materials solutions.....	270
5.4.3	GLOBAL MARKET SIZE.....	279
5.4.4	COMPANY PROFILES.....	
	281 (38 COMPANY PROFILES)	
5.5	ENERGY HARVESTING TEXTILES.....	292
5.5.1	MARKET DRIVERS AND TRENDS.....	292
5.5.2	APPLICATIONS.....	293
5.5.2.1	Current state of the art.....	293
5.5.2.2	Advanced materials solutions.....	296
5.5.3	GLOBAL MARKET SIZE.....	302
5.5.4	COMPANY PROFILES.....	
	304 (21 COMPANY PROFILES)	
5.6	HDTVS AND OTHER DISPLAYS.....	311
5.6.1	MARKET DRIVERS AND TRENDS.....	311
5.6.2	APPLICATIONS.....	313
5.6.2.1	Transparent electrodes.....	313
5.6.2.2	Automotive HMI and displays.....	315
5.6.2.3	Quantum dot displays.....	316
5.6.2.4	LCDS vs. OLEDs vs. QD-LCDs/QLEDs.....	316
5.6.2.5	QD-LCD TVs/QLEDs.....	318
5.6.2.6	Micro-LEDs.....	318
5.6.2.7	Synthesis and manufacturing.....	319

5.6.2.8	On-edge (edge optic).....	323
5.6.2.9	On-surface (film).....	323
5.6.2.10	QD colour filter (QDF).....	323
5.6.2.11	On-chip.....	324
5.6.2.12	Active Matrix Quantum-dot Light Emitting Diode (AMQLED).....	324
5.6.2.13	QD Glass LGP.....	324
5.6.2.14	Quantum dot/OLED hybrid.....	325
5.6.2.15	Quantum rods.....	326
5.6.2.16	Quantum converters with red phosphors.....	326
5.6.2.17	Electroluminescent (EL)QD displays.....	327
5.6.2.18	Flexible displays.....	327
5.6.3	GLOBAL MARKET SIZE.....	334
5.6.3.1	OLED market.....	334
5.6.3.2	QD-TV unit sales 2016-2030.....	334
5.6.3.3	QD Monitor Unit sales 2015-2030.....	335
5.6.4	COMPANY PROFILES.....	
	336 (53 COMPANY PROFILES)	
5.7	TRANSISTORS, INTEGRATED CIRCUITS AND OTHER COMPONENTS.....	357
5.7.1	MARKET DRIVERS AND TRENDS.....	357
5.7.2	APPLICATIONS.....	360
5.7.2.1	Nanowires.....	362
5.7.2.2	Carbon nanotubes.....	364
5.7.2.3	Graphene.....	366
5.7.2.4	Other 2D Materials.....	368
5.7.2.5	Quantum dots.....	368
5.7.3	GLOBAL MARKET SIZE	369
5.7.5	COMPANY PROFILES.....	
	373 (20 COMPANY PROFILES)	
5.8	MEMORY DEVICES.....	381
5.8.1	MARKET DRIVERS AND TRENDS.....	381
5.8.2	APPLICATIONS.....	382
5.8.2.1	Graphene and other 2D materials.....	385
5.8.2.2	Magnetic nanoparticles.....	387

5.8.3	GLOBAL MARKET SIZE.....	387
5.8.4	MARKET CHALLENGES.....	388
5.8.5	COMPANY PROFILES..... 389 (10 COMPANY PROFILES)	
5.9	ELECTRONICS COATINGS.....	394
5.9.1	MARKET DRIVERS AND TRENDS.....	394
5.9.2	APPLICATIONS.....	399
5.9.2.1	Waterproof nanocoatings.....	401
5.9.2.2	Anti-fingerprint nanocoatings.....	402
5.9.2.3	Anti-reflection nanocoatings.....	404
5.9.3	GLOBAL MARKET SIZE..... 405	
5.9.4	COMPANY PROFILES..... 408 (25 COMPANY PROFILES)	
5.10	SOLAR.....	418
5.10.1	MARKET DRIVERS AND TRENDS.....	419
5.10.2	APPLICATIONS.....	420
5.10.2.1	ITO replacement.....	420
5.10.2.2	Nanomaterials in solar cells.....	421
5.10.2.3	Nanocrystalline thin-film layers.....	422
5.10.2.4	TiO2 nanoparticles in dye solar cells.....	422
5.10.2.5	Fullerenes.....	423
5.10.2.6	Graphene.....	424
5.10.2.7	Nanocoatings.....	426
5.10.2.8	Quantum wells.....	426
5.10.2.9	Metal nanoparticle plasmonic solar cells.....	427
5.10.2.10	Polymer-nanowire based hybrid solar cell.....	428
5.10.2.11	Quantum dots.....	428
5.10.3	GLOBAL MARKET SIZE..... 432	
5.10.4	COMPANY PROFILES..... 434 (40 COMPANY PROFILES)	
5.11	LIGHTING.....	436
5.11.1	MARKET DRIVERS AND TRENDS.....	436

5.11.2	APPLICATIONS.....	439
5.11.2.1	LED lighting.....	439
5.11.2.2	Horticultural lighting.....	441
5.11.2.3	Flexible OLED lighting.....	441
5.11.2.4	Quantum dot lighting.....	442
5.11.3	GLOBAL MARKET SIZE.....	443
5.11.4	COMPANY PROFILES.....	445 (20 COMPANY PROFILES)
5.12	PHOTONICS.....	448
5.12.1	MARKET DRIVERS AND TRENDS.....	448
5.12.2	APPLICATIONS.....	448
5.12.2.1	Si photonics versus graphene.....	449
5.12.2.2	Optical modulators.....	450
5.12.2.3	Photodetectors.....	450
5.12.2.4	Plasmonics.....	452
5.12.2.5	Fiber lasers.....	452
5.12.3	GLOBAL MARKET SIZE.....	453
5.12.4	COMPANY PROFILES.....	454 (15 COMPANY PROFILES)
5.13	SENSORS.....	460
5.13.1	MARKET DRIVERS AND TRENDS.....	460
5.13.2	APPLICATIONS.....	462
5.13.2.1	Gas sensors.....	464
5.13.2.2	Infrared (IR) sensors.....	465
5.13.2.3	Electrochemical and gas sensors.....	466
5.13.2.4	Pressure sensors.....	467
5.13.2.5	Biosensors.....	467
5.13.2.6	Optical sensors.....	470
5.13.2.7	Humidity sensors.....	470
5.13.2.8	Strain sensors.....	471
5.13.2.9	Acoustic sensors.....	471
5.13.2.10	Wireless sensors.....	471

5.13.2.11	Surface enhanced Raman scattering.....	471
5.13.2.12	Image sensors.....	472
5.13.3	GLOBAL MARKET SIZE AND.....	472
5.13.4	COMPANY PROFILES..... (30 COMPANY PROFILES)	473

6 REFERENCES..... 477

Tables

Figure 1: Evolution of electronics.....	43
Figure 2: Wove Band.....	47
Figure 3: Wearable graphene medical sensor.....	48
Figure 4: Applications timeline for organic and printed electronics.....	49
Figure 5: A large transparent conductive graphene film (about 20 × 20 cm ²) manufactured by 2D Carbon Tech. Figure 24a (right): Prototype of a mobile phone produced by 2D Carbon Tech using a graphene touch panel.....	56
Figure 6: The Tesla S’s touchscreen interface.....	57
Figure 7: Copper based inks on flexible substrate.....	74
Figure 8: Graphene layer structure schematic.....	79
Figure 9: Flexible graphene touch screen.....	80
Figure 10: Foldable graphene E-paper.....	81
Figure 11: Large-area metal mesh touch panel.....	84
Figure 12: Hierarchical Structure of Wood Biomass.....	86
Figure 13: Types of nanocellulose.....	87
Figure 14: Cellulose nanofiber films.....	89
Figure 15: Electronics markets and applications of nanocellulose.....	89
Figure 16: LEDs shining on circuitry imprinted on a 5x5cm sheet of CNF.....	90
Figure 17: Nanocellulose photoluminescent paper.....	91
Figure 18: Foldable nanopaper.....	92
Figure 19: Foldable nanopaper antenna.....	92
Figure 20: Paper memory (ReRAM).....	93
Figure 21: Quantum dot.....	101
Figure 22: The light-blue curve represents a typical spectrum from a conventional white-LED LCD TV. With quantum dots, the spectrum is tunable to any colours of red, green, and blue, and each Color is limited to a narrow band.	101
Figure 23: Flexible & stretchable LEDs based on quantum dots.....	104

Figure 24: Schematic of single-walled carbon nanotube.....	107
Figure 25: Stretchable SWNT memory and logic devices for wearable electronics.....	108
Figure 26: Silver nanocomposite ink after sintering and resin bonding of discrete electronic components.....	110
Figure 27: Flexible silver nanowire wearable mesh.....	112
Figure 28: Applications of yttrium oxide nanoparticles.....	117
Figure 29: TEM image of carbon onion.....	118
Figure 30: Black phosphorus structure.....	119
Figure 31: Black Phosphorus crystal.....	120
Figure 32: Bottom gated flexible few-layer phosphorene transistors with the hydrophobic dielectric encapsulation... 121	
Figure 33: Graphitic carbon nitride.....	122
Figure 34: Schematic of germanene.....	122
Figure 35: Graphdiyne structure.....	124
Figure 36: Schematic of Graphane crystal.....	125
Figure 37: Structure of hexagonal boron nitride.....	126
Figure 38: Structure of 2D molybdenum disulfide.....	127
Figure 39: SEM image of MoS2.....	128
Figure 40: Atomic force microscopy image of a representative MoS2 thin-film transistor.....	128
Figure 41: Schematic of the molybdenum disulfide (MoS2) thin-film sensor with the deposited molecules that create additional charge.....	129
Figure 42: Schematic of a monolayer of rhenium disulphide.....	130
Figure 43: Silicene structure.....	131
Figure 44: Monolayer silicene on a silver (111) substrate.....	131
Figure 45: Silicene transistor.....	132
Figure 46: Crystal structure for stanene.....	133
Figure 47: Atomic structure model for the 2D stanene on Bi2Te3(111).....	133
Figure 48: Schematic of tungsten diselenide.....	134
Figure 49: Schematic of Indium Selenide (InSe).....	135
Figure 50: BGT Materials graphene ink product.....	148
Figure 51: Flexible RFID tag.....	149
Figure 52: Enfucell Printed Battery.....	152
Figure 53: Graphene printed antenna.....	152
Figure 54: Printed antennas for aircraft.....	153

Figure 55: Stretchable material for formed an in-molded electronics.....	153
Figure 56: Wearable patch with a skin-compatible, pressure-sensitive adhesive.....	154
Figure 57: Thin film transistor incorporating CNTs.....	154
Figure 58: Conductive inks in the wearable electronics market 2017-2027 revenue forecast (million \$), by ink types. 156	
Figure 59: Covestro wearables.....	197
Figure 60: Royole flexible display.....	198
Figure 61: Panasonic CNT stretchable Resin Film.....	200
Figure 62: Bending durability of Ag nanowires.....	204
Figure 63: NFC computer chip.....	205
Figure 64: NFC translucent diffuser schematic.....	206
Figure 65: Softceptor sensor.....	207
Figure 66: BeBop Media Arm Controller.....	208
Figure 67: LG Innotek flexible textile pressure sensor.....	208
Figure 68: C2Sense flexible sensor.....	209
Figure 69: <hitoe> nanofiber conductive shirt original design(top) and current design (bottom).....	210
Figure 70: Garment-based printable electrodes.....	211
Figure 71: Wearable gas sensor.....	213
Figure 72: BeBop Sensors Marcel Modular Data Gloves.....	214
Figure 73: BeBop Sensors Smart Helmet Sensor System.....	214
Figure 74: Torso and Extremities Protection (TEP) system.....	215
Figure 75: Global market for wearable electronics, 2015-2027, by application, billions \$. Figures do not include medical smart wearables and textiles and smart glasses.....	216
Figure 76: Global transparent conductive electrodes market forecast by materials type, 2012-2027, millions \$.....	217
Figure 77: BITalino systems.....	224
Figure 78: Connected human body.....	241
Figure 79: Flexible, lightweight temperature sensor.....	242
Figure 80: Prototype ECG sensor patch.....	245
Figure 81: Graphene-based E-skin patch.....	246
Figure 82: Wearable bio-fluid monitoring system for monitoring of hydration.....	247
Figure 83: Smart mouth guard.....	248
Figure 84: Smart e-skin system comprising health-monitoring sensors, displays, and ultra flexible PLEDs.....	249
Figure 85: Graphene medical patch.....	249

Figure 86: TempTraQ wearable wireless thermometer.....	250
Figure 87: Mimo baby monitor.....	250
Figure 88: Nanowire skin hydration patch.....	251
Figure 89: Wearable sweat sensor.....	251
Figure 90: GraphWear wearable sweat sensor.....	252
Figure 91: My UV Patch.....	253
Figure 92: Overview layers of L'Oreal skin patch.....	254
Figure 93: Global medical and healthcare smart textiles and wearables market, 2015-2027, billions \$.....	255
Figure 94: Global medical and healthcare smart textiles and wearables market, 2015-2027, billions \$.....	255
Figure 95: Omniphobic-coated fabric.....	272
Figure 96: Conductive yarns.....	276
Figure 97: Work out shirt incorporating ECG sensors, flexible lights and heating elements.....	278
Figure 98: BeBop Sensors Smart Helmet Sensor System.....	279
Figure 99: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper.....	279
Figure 100: Global smart clothing, interactive fabrics and apparel market 2013-2027 revenue forecast (million \$)....	280
Figure 101 Global smart clothing, interactive fabrics and apparel sales by market segment, 2016.....	281
Figure 102: Energy harvesting textile.....	294
Figure 103: StretchSense Energy Harvesting Kit.....	295
Figure 104: LG Chem Heaxagonal battery.....	296
Figure 105: Printed 1.5V battery.....	297
Figure 106: Energy densities and specific energy of rechargeable batteries.....	298
Figure 107: Stretchable graphene supercapacitor.....	299
Figure 108: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper.....	301
Figure 109: Demand for thin film, flexible and printed batteries 2015, by market.....	304
Figure 110: Demand for thin film, flexible and printed batteries 2027, by market.....	305
Figure 111: Samsung QD-LCD TVs, UHD range.....	312
Figure 112: Samsung QLED TV range.....	313
Figure 113: Graphene-enabled bendable smartphone.....	314
Figure 114: 3D printed carbon nanotube sensor.....	315
Figure 115: Bosch automotive touchscreen with haptic feedback.....	316

Figure 116: Canatu’s CNB™ touch sensor.....	317
Figure 117: Quantum dot LED backlighting schematic.....	319
Figure 118: Individual red, green and blue microLED arrays based on quantum dots.....	320
Figure 119: Methods for integrating QDs into LCD System. (a) On-chip (b) On-edge. (c) On-surface.....	323
Figure 120: On-edge configuration.....	324
Figure 121: QD-film integration into a standard LCD display.....	324
Figure 122: Inkjet-printed pattern on a QDCF.....	325
Figure 123: Samsung 8K 65" QD Glass.....	326
Figure 124: Schematic of Quantum Dot on Glass.....	326
Figure 125: QD/OLED hybrid schematic.....	327
Figure 126: LCD using Quantum rods (right) versus a standard LCD.....	327
Figure 127: Quantum phosphor schematic in LED TV backlight.....	328
Figure 128: The Wall microLED display.....	328
Figure 129: Carbon nanotubes flexible, rechargeable yarn batteries incorporated into flexible, rechargeable yarn batteries.....	329
Figure 130: Ink-jet printed 5-inch AM-QLED display (80 dpi).....	330
Figure 131: Flexible LCD.....	330
Figure 132: "Full Active™ Flex".....	331
Figure 133: FOLED schematic.....	332
Figure 134: Foldable display.....	332
Figure 135: Stretchable AMOLED.....	333
Figure 136: LGD 12.3" FHD Automotive OLED.....	333
Figure 137: LECTUM® display.....	334
Figure 138: Flexible & stretchable LEDs based on quantum dots.....	334
Figure 139: QD-TV unit sales 2016-2030, conservative estimates.....	335
Figure 140: QD-TV unit sales 2016-2030, optimistic estimates.....	336
Figure 141: QD Monitor Unit sales 2015-2030.....	337
Figure 142: Transistor architecture trend chart.....	359
Figure 143: CMOS Technology Roadmap.....	360
Figure 144: Emerging logic devices.....	363
Figure 145: Figure 38: Thin film transistor incorporating CNTs.....	366
Figure 146: Graphene IC in wafer tester.....	368

Figure 147: Emerging logic devices.....	371
Figure 148: Schematic of NRAM cell.....	386
Figure 149: A schematic diagram for the mechanism of the resistive switching in metal/GO/Pt.....	387
Figure 150: Phone coated in WaterBlock submerged in water tank.....	397
Figure 151: Demo solar panels coated with nanocoatings.....	400
Figure 152: Schematic of barrier nanoparticles deposited on flexible substrates.....	402
Figure 153: Schematic of anti-fingerprint nanocoatings.....	404
Figure 154: Toray anti-fingerprint film (left) and an existing lipophilic film (right).....	405
Figure 155: Schematic of AR coating utilizing nanoporous coating.....	406
Figure 156: Schematic of KhepriCoat®. Image credit: DSM.....	407
Figure 157: Nanocoating submerged in water.....	409
Figure 158: Solar cell with nanowires and graphene electrode.....	422
Figure 159: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper.....	426
Figure 160: (a) Schematic of Schottky barrier quantum dots based solar cell.....	430
Figure 161: Schematic of QD Solar Cell.....	431
Figure 162: Doped quantum dot LSC.....	431
Figure 163: QD coated solar windows.....	432
Figure 164: A layer of highly emissive manganese-doped quantum dots onto the outside surface of the outer glass pane (top layer on the left image below) and a layer of copper indium selenide quantum dots onto the inner surface of the inside (bottom) pane.....	433
Figure 165: QDSSC Module.....	433
Figure 166: Total QD photovoltaics component revenues 2013-2030 (\$100,000s), conservative and optimistic estimates.....	435
Figure 167: Fourth generation QD-LEDs.....	441
Figure 168: LG OLED flexible lighting panel.....	443
Figure 169: Flexible OLED incorporated into automotive headlight.....	443
Figure 170: Flexible & stretchable LEDs based on quantum dots.....	444
Figure 171: Total nanotechnology lighting component revenues 2013-2027 (\$M), conservative and optimistic estimates.....	446
Figure 172: Hybrid graphene phototransistors.....	452
Figure 173: Schematic of QD laser device.....	454
Figure 174: GFET sensors.....	467
Figure 175: First generation point of care diagnostics.....	469

Figure 176: Graphene Field Effect Transistor Schematic..... 470

Figures

Figure 1: Evolution of electronics..... 42

Figure 2: Wove Band..... 46

Figure 3: Wearable graphene medical sensor..... 47

Figure 4: Applications timeline for organic and printed electronics..... 48

Figure 5: A large transparent conductive graphene film (about 20 × 20 cm²) manufactured by 2D Carbon Tech. Figure 24a (right): Prototype of a mobile phone produced by 2D Carbon Tech using a graphene touch panel..... 55

Figure 6: The Tesla S’s touchscreen interface..... 56

Figure 7: Copper based inks on flexible substrate..... 73

Figure 8: Graphene layer structure schematic..... 78

Figure 9: Flexible graphene touch screen..... 79

Figure 10: Foldable graphene E-paper..... 80

Figure 11: Large-area metal mesh touch panel..... 83

Figure 12: Hierarchical Structure of Wood Biomass..... 85

Figure 13: Types of nanocellulose..... 86

Figure 14: Cellulose nanofiber films..... 88

Figure 15: Electronics markets and applications of nanocellulose..... 88

Figure 16: LEDs shining on circuitry imprinted on a 5x5cm sheet of CNF..... 89

Figure 17: Nanocellulose photoluminescent paper..... 90

Figure 18: Foldable nanopaper..... 91

Figure 19: Foldable nanopaper antenna..... 91

Figure 20: Paper memory (ReRAM)..... 92

Figure 21: Quantum dot..... 100

Figure 22: The light-blue curve represents a typical spectrum from a conventional white-LED LCD TV. With quantum dots, the spectrum is tunable to any colours of red, green, and blue, and each Color is limited to a narrow band. 100

Figure 23: Flexible & stretchable LEDs based on quantum dots..... 103

Figure 24: Schematic of single-walled carbon nanotube..... 106

Figure 25: Stretchable SWNT memory and logic devices for wearable electronics..... 107

Figure 26: Silver nanocomposite ink after sintering and resin bonding of discrete electronic components..... 109

Figure 27: Flexible silver nanowire wearable mesh..... 111

Figure 28: Applications of yttrium oxide nanoparticles.....	116
Figure 29: TEM image of carbon onion.....	117
Figure 30: Black phosphorus structure.....	118
Figure 31: Black Phosphorus crystal.....	119
Figure 32: Bottom gated flexible few-layer phosphorene transistors with the hydrophobic dielectric encapsulation... 120	
Figure 33: Graphitic carbon nitride.....	121
Figure 34: Schematic of germanene.....	121
Figure 35: Graphdiyne structure.....	123
Figure 36: Schematic of Graphane crystal.....	124
Figure 37: Structure of hexagonal boron nitride.....	125
Figure 38: Structure of 2D molybdenum disulfide.....	126
Figure 39: SEM image of MoS ₂	127
Figure 40: Atomic force microscopy image of a representative MoS ₂ thin-film transistor.....	127
Figure 41: Schematic of the molybdenum disulfide (MoS ₂) thin-film sensor with the deposited molecules that create additional charge.....	128
Figure 42: Schematic of a monolayer of rhenium disulphide.....	129
Figure 43: Silicene structure.....	130
Figure 44: Monolayer silicene on a silver (111) substrate.....	130
Figure 45: Silicene transistor.....	131
Figure 46: Crystal structure for stanene.....	132
Figure 47: Atomic structure model for the 2D stanene on Bi ₂ Te ₃ (111).....	132
Figure 48: Schematic of tungsten diselenide.....	133
Figure 49: Schematic of Indium Selenide (InSe).....	134
Figure 50: BGT Materials graphene ink product.....	147
Figure 51: Flexible RFID tag.....	148
Figure 52: EnfuCell Printed Battery.....	151
Figure 53: Graphene printed antenna.....	151
Figure 54: Printed antennas for aircraft.....	152
Figure 55: Stretchable material for formed an in-molded electronics.....	152
Figure 56: Wearable patch with a skin-compatible, pressure-sensitive adhesive.....	153
Figure 57: Thin film transistor incorporating CNTs.....	153

Figure 58: Conductive inks in the wearable electronics market 2017-2027 revenue forecast (million \$), by ink types. 155

Figure 59: Covestro wearables..... 196

Figure 60: Royole flexible display..... 197

Figure 61: Panasonic CNT stretchable Resin Film..... 199

Figure 62: Bending durability of Ag nanowires..... 203

Figure 63: NFC computer chip..... 204

Figure 64: NFC translucent diffuser schematic..... 205

Figure 65: Softceptor sensor..... 206

Figure 66: BeBop Media Arm Controller..... 207

Figure 67: LG Innotek flexible textile pressure sensor..... 207

Figure 68: C2Sense flexible sensor..... 208

Figure 69: <hitoe> nanofiber conductive shirt original design(top) and current design (bottom)..... 209

Figure 70: Garment-based printable electrodes..... 210

Figure 71: Wearable gas sensor..... 212

Figure 72: BeBop Sensors Marcel Modular Data Gloves..... 213

Figure 73: BeBop Sensors Smart Helmet Sensor System..... 213

Figure 74: Torso and Extremities Protection (TEP) system..... 214

Figure 75: Global market for wearable electronics, 2015-2027, by application, billions \$. Figures do not include medical smart wearables and textiles and smart glasses..... 215

Figure 76: Global transparent conductive electrodes market forecast by materials type, 2012-2027, millions \$..... 216

Figure 77: BITalino systems..... 223

Figure 78: Connected human body..... 240

Figure 79: Flexible, lightweight temperature sensor..... 241

Figure 80: Prototype ECG sensor patch..... 244

Figure 81: Graphene-based E-skin patch..... 245

Figure 82: Wearable bio-fluid monitoring system for monitoring of hydration..... 246

Figure 83: Smart mouth guard..... 247

Figure 84: Smart e-skin system comprising health-monitoring sensors, displays, and ultra flexible PLEDs..... 248

Figure 85: Graphene medical patch..... 248

Figure 86: TempTraQ wearable wireless thermometer..... 249

Figure 87: Mimo baby monitor..... 249

Figure 88: Nanowire skin hydration patch..... 250

Figure 89: Wearable sweat sensor.....	250
Figure 90: GraphWear wearable sweat sensor.....	251
Figure 91: My UV Patch.....	252
Figure 92: Overview layers of L'Oreal skin patch.....	253
Figure 93: Global medical and healthcare smart textiles and wearables market, 2015-2027, billions \$.....	254
Figure 94: Global medical and healthcare smart textiles and wearables market, 2015-2027, billions \$.....	254
Figure 95: Omniphobic-coated fabric.....	271
Figure 96: Conductive yarns.....	275
Figure 97: Work out shirt incorporating ECG sensors, flexible lights and heating elements.....	277
Figure 98: BeBop Sensors Smart Helmet Sensor System.....	278
Figure 99: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper.....	278
Figure 100: Global smart clothing, interactive fabrics and apparel market 2013-2027 revenue forecast (million \$)....	279
Figure 101 Global smart clothing, interactive fabrics and apparel sales by market segment, 2016.....	280
Figure 102: Energy harvesting textile.....	293
Figure 103: StretchSense Energy Harvesting Kit.....	294
Figure 104: LG Chem Heaxagonal battery.....	295
Figure 105: Printed 1.5V battery.....	296
Figure 106: Energy densities and specific energy of rechargeable batteries.....	297
Figure 107: Stretchable graphene supercapacitor.....	298
Figure 108: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper.....	300
Figure 109: Demand for thin film, flexible and printed batteries 2015, by market.....	303
Figure 110: Demand for thin film, flexible and printed batteries 2027, by market.....	304
Figure 111: Samsung QD-LCD TVs, UHD range.....	311
Figure 112: Samsung QLED TV range.....	312
Figure 113: Graphene-enabled bendable smartphone.....	313
Figure 114: 3D printed carbon nanotube sensor.....	314
Figure 115: Bosch automotive touchscreen with haptic feedback.....	315
Figure 116: Canatu's CNB™ touch sensor.....	316
Figure 117: Quantum dot LED backlighting schematic.....	318
Figure 118: Individual red, green and blue microLED arrays based on quantum dots.....	319

Figure 119: Methods for integrating QDs into LCD System. (a) On-chip (b) On-edge. (c) On-surface.....	322
Figure 120: On-edge configuration.....	323
Figure 121: QD-film integration into a standard LCD display.....	323
Figure 122: Inkjet-printed pattern on a QDCF.....	324
Figure 123: Samsung 8K 65" QD Glass.....	325
Figure 124: Schematic of Quantum Dot on Glass.....	325
Figure 125: QD/OLED hybrid schematic.....	326
Figure 126: LCD using Quantum rods (right) versus a standard LCD.....	326
Figure 127: Quantum phosphor schematic in LED TV backlight.....	327
Figure 128: The Wall microLED display.....	327
Figure 129: Carbon nanotubes flexible, rechargeable yarn batteries incorporated into flexible, rechargeable yarn batteries.....	328
Figure 130: Ink-jet printed 5-inch AM-QLED display (80 dpi).....	329
Figure 131: Flexible LCD.....	329
Figure 132: "Full Active™ Flex".....	330
Figure 133: FOLED schematic.....	331
Figure 134: Foldable display.....	331
Figure 135: Stretchable AMOLED.....	332
Figure 136: LGD 12.3" FHD Automotive OLED.....	332
Figure 137: LECTUM® display.....	333
Figure 138: Flexible & stretchable LEDs based on quantum dots.....	333
Figure 139: QD-TV unit sales 2016-2030, conservative estimates.....	334
Figure 140: QD-TV unit sales 2016-2030, optimistic estimates.....	335
Figure 141: QD Monitor Unit sales 2015-2030.....	336
Figure 142: Transistor architecture trend chart.....	358
Figure 143: CMOS Technology Roadmap.....	359
Figure 144: Emerging logic devices.....	362
Figure 145: Figure 38: Thin film transistor incorporating CNTs.....	365
Figure 146: Graphene IC in wafer tester.....	367
Figure 147: Emerging logic devices.....	370
Figure 148: Schematic of NRAM cell.....	385
Figure 149: A schematic diagram for the mechanism of the resistive switching in metal/GO/Pt.....	386

Figure 150: Phone coated in WaterBlock submerged in water tank.....	396
Figure 151: Demo solar panels coated with nanocoatings.....	399
Figure 152: Schematic of barrier nanoparticles deposited on flexible substrates.....	401
Figure 153: Schematic of anti-fingerprint nanocoatings.....	403
Figure 154: Toray anti-fingerprint film (left) and an existing lipophilic film (right).....	404
Figure 155: Schematic of AR coating utilizing nanoporous coating.....	405
Figure 156: Schematic of KhepriCoat®. Image credit: DSM.....	406
Figure 157: Nanocoating submerged in water.....	408
Figure 158: Solar cell with nanowires and graphene electrode.....	421
Figure 159: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper.....	425
Figure 160: (a) Schematic of Schottky barrier quantum dots based solar cell.....	429
Figure 161: Schematic of QD Solar Cell.....	430
Figure 162: Doped quantum dot LSC.....	430
Figure 163: QD coated solar windows.....	431
Figure 164: A layer of highly emissive manganese-doped quantum dots onto the outside surface of the outer glass pane (top layer on the left image below) and a layer of copper indium selenide quantum dots onto the inner surface of the inside (bottom) pane.....	432
Figure 165: QDSSC Module.....	432
Figure 166: Total QD photovoltaics component revenues 2013-2030 (\$100,000s), conservative and optimistic estimates.....	434
Figure 167: Fourth generation QD-LEDs.....	440
Figure 168: LG OLED flexible lighting panel.....	442
Figure 169: Flexible OLED incorporated into automotive headlight.....	442
Figure 170: Flexible & stretchable LEDs based on quantum dots.....	443
Figure 171: Total nanotechnology lighting component revenues 2013-2027 (\$M), conservative and optimistic estimates.....	445
Figure 172: Hybrid graphene phototransistors.....	451
Figure 173: Schematic of QD laser device.....	453
Figure 174: GFET sensors.....	466
Figure 175: First generation point of care diagnostics.....	468
Figure 176: Graphene Field Effect Transistor Schematic.....	469